Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

VOLUME XXVII NUMBER 11

MARCH 15, 1912

PUBLISHED WEEKLY BY THE

Public Health and Marine-Hospital Service

IN ACCORDANCE WITH ACT OF CONGRESS APPROVED
FEBRUARY 15, 1893

WASHINGTON
GOVERNMENT PRINTING OFFICE
1912

NOTICE

ANY person on the mailing list of the PUBLIC HEALTH REPORTS who at any time fails to receive promptly this publication will confer a favor by notifying the Surgeon General of the Public Health and Marine-Hospital Service.

CONTENTS.

	Page.
The bacteriological diagnosis of cholera	371

UNITED STATES.

Cerebrospinal meningitis in Texas	399
Typhoid fever epidemic at Rockford, Ill	399
Plague-prevention work, week ended February 24, 1912:	
Distribution of poison	399
Record of plague infection	400
Rats collected and examined for plague infection	400
Smallpox in the United States:	
Reports received during week ended March 8, 1912	400
Morbidity and mortality table, cities of the United States, for week ended February 24, 1912	403
Morbidity and mortality, States of the United States, untabulated	406

FOREIGN AND INSULAR.

Reports from:	
Australia—	
Sydney—Examination of rats	407
Chile—	
Sanitary measures at Chilean ports	407
Egypt—	
Cairo—Typhus fever	407
Greece—	
Cerebrospinal meningitis	407
Hawaii—	
Plague-infected rats at Honokaa	407
Mosquito-eradication measures at Honolulu	408
Italy—	
Naples—Examination of emigrants	408
Palermo—Smallpox	409
Mexico—	
Typhus fever	409
Yellow fever in Merida and vicinity	409
Russia—	
Typhus fever	409
South Africa—	
Plague at Durban, Natal—Rat infection	409
Plague rats in Durban—Precautionary measures	409
Cholera, yellow fever, plague, and smallpox:	
Reports received during the week ended March 15—	
Cholera	410
Yellow fever	410
Plague	410
Smallpox	410

Cholera, yellow fever, plague, and smallpox—Continued.
Reports received from December 30, 1911, to March 8, 1912— Page.
Cholera..... 411
Yellow fever..... 412
Plague..... 413
Smallpox..... 414
Mortality:
Mortality table, foreign and insular cities..... 416
Mortality—Foreign and insular—Countries and cities—Untabulated..... 418